

**AMENDMENTS FOR 2006 INTERNATIONAL PLUMBING CODE**

1. **DELETION AND SUBSTITUTION (DEPARTMENT OF PLUMBING INSPECTION) Sec. 103 Department of PLUMBING Inspection.**  
Delete Sec. 103 in its entirety.
  
2. **DELETION AND SUBSTITUTION (STATE LICENSE) Sec. 106.4 By Whom Application is made**  
Add new Sec. 106.4.1 State License Required.
  - a. No person shall engage in or work at the business, trade or calling of a residential journeyman or master plumber in Elbert County until he/she has received a license from the division of registration. Upon written notice from the Colorado State Examining Board of Plumbers or its authorized agent, or a temporary permit from the board or its authorized agent.
  - b. A residential plumber shall not perform plumbing work of a type which is beyond the authorization of the state license held.
  
3. **DELETION AND SUBSTITUTION (FEES) Sec. 106.6 Fees.**  
Delete Sec. 106.6 in its entirety and substitute the following: A fee for each permit shall be paid as required and shall be based on Resolution 06-42 from the Building Safety Journal August 2005 edition (to be up dated as necessary for market cost fluctuation). Annual permit fees are established by the building official.
  
4. **DELETION AND SUBSTITUTION (FEE REFUNDS) Sec. 106.6.3 Fee Refunds**  
Delete Sec. 106.6.3 in its entirety and substitute the following: The building official may authorize refunding of any fee paid hereunder which was erroneously paid or collected.  
  
The building official may authorize refunding of not more than 80 percent of the permit fee paid when no work has been done under a permit issued in accordance with this code.  
  
The building official may authorize refunding of not more than 80 percent of the plan review fee paid when an application for a permit for which a plan review fee has been paid is withdrawn or canceled before any plan reviewing is done.  
  
The building official shall not authorized refunding of any fee paid except on written application filed by the original permittee not later than 180 days after the date of fee payment.
  
5. **DELETION AND SUBSTITUTION (MEANS OF APPEAL) Sec. 109 Means of Appeal**  
Delete Sec. 109 in its entirety and substitute the following: There shall be a board of appeals created when necessary.
  
6. **DELETION AND SUBSTITUTION (GENERAL) Sec. 301.2 Energy Utilization.**  
Delete Sec. 301.2 in its entirety.
  
7. **DELETION AND SUBSTITUTION (ELECTRICAL) Sec. 301.7 Electrical.**  
Delete Sec. 301.7 Electrical in its entirety and substitute the following: All electrical must be resolved with the most current NEC adopted and enforced by the state of Colorado Electrical Board.
  
8. **DELETION AND SUBSTITUTION (SEWER DEPTH) Sec. 305.6.1 Sewer Depth.**  
Sec. 305.6.1 to read: Building sewers that connect to private sewage disposal systems shall be a minimum of 12 inches below finished grade at the point of septic tank connection. Building sewers shall be a minimum of 12 inches below grade.

9. **DELETION AND SUBSTITUTION (SHOWER WASTE OUTLET) Sec. 417.3 Shower Waste Outlet.**

Waste outlets serving showers shall be at least 2 inches in diameter and,

10. **DELETION AND SUBSTITUTION (TABLE 709.1) Table 709.1.**

Substitute as follows: Shower: Minimum size of trap = 2 inches.

11. **DELETION AND SUBSTITUTION (DOMESTIC DISHWASHG MACHINES) Sec. 802.1.6 Domestic Dishwashing Machines.**

Delete in its entirety and substitute the following: Domestic dishwashing machines shall discharge indirectly through an air gap or air breach into a standpipe or waste receptor in accordance with Sec. 802.2.

12. **DELETION AND SUBSTITUTION (ROOF EXTENSION) Sec. 904.1 Roof Extension.**

To read: All open vent pipes that extend through a roof shall be terminated at least 8 inches above the roof, except that where a roof is to be used for any purpose other than weather protection, the vent extensions shall be run at least 7 feet above the roof.

13. **DELETION AND SUBSTITUTION (FIXTURE VENTS) Sec. 906.1 Distance of trap from vent.**

Delete the following: Exceptions:

14. **DELETION AND SUBSTITUTION (AIR ADMITTANCE VALVES) Sec. 917.1 General**

Delete in its entirety and substitute the following: General vent systems using air admittance valves shall comply with this section.

Air admittance valves shall be allowed with only one per floor unless approved by the building official. Individual and branch type air admittance valves shall conform to ASSE 1051. Stack-type air admittance valves shall conform to ASSE 1050.